ELSEVIER

Volumes 89–90, 19 May 1999

Journal of
Materials
Processing
Technology

Contents

A computer-aided-design system for forming processes 1
Y.-T. Im

The universality of the materials-processing approach 8
F.W. Travis

Effect of strain hardening on the continuous four-roll plate edge bending process 12
M. Hua, Y.H. Lin

Deep drawability of type 5083 aluminium–magnesium alloy sheet under various conditions of temperature and forming speed 19
T. Naka, F. Yoshida

Measurement of strain history during the stretching of forming-grade steel sheets 24
V.M. Nandedkar, K. Narasimhan

Combined effects of strain hardening characteristics and tool geometry on the deep-drawability of square aluminum cups 30
Y. Marumo, H. Saiki, T. Mori

Influence of rolling of TRIP steel in the intercritical region on the stability of retained austenite 37
A. Basuki, E. Aernoudt

Development of constitutive models for metal forming with cyclic strain softening 44
L.X. Kong, P.D. Hodgson, B. Wang

Hole flanging with ironing of two-ply thick sheet metals 51
T. Kumagai, H. Saiki, Y. Meng

Sheet metal forming analysis of planar anisotropic materials by a modified membrane finite element method with bending effect 58
T.H. Choi, H. Huh

Theoretical prediction of the springback of metal sheets after a double-curvature forming operation 65
P. Xue, T.X. Yu, E. Chu

Expert system for the process sequence design of a ball stud 72
J.-H. Song, Y.-T. Im

A damage-based criterion for fracture prediction in metal forming processes: a case study in Al 2024T3 sheet 79
C.Y. Tang, W. Shen, T.C. Lee

Effect of extrusion direction on the mixed-mode fracture toughness of a 2024 aluminum alloy 84
M. Manoharan, H.P. Seow, R.K. Oruganti

Fringe projection technique for the 3-D shape measurement of a hydroformed shell 88
C. Quan, C.J. Tay, H.M. Shang

Stimulation of superplastic forming/diffusion bonding with finite-element analysis using the convective coordinate system 92
K.S. Lee, H. Huh

Optimization of the formability of knitted fabric composite sheet by means of combined deep drawing and stretch forming 99
T.C. Lim, S. Ramakrishna, H.M. Shang

Rigid–thermoviscoplastic finite-element analysis of the semi-solid forging of Al2024 104
J.-H. Yoon, Y.-T. Im, N.-S. Kim

A hot forging simulation by the volumetrically elastic and deviatorically rigid–plastic finite-element method 111
Y.-M. Guo, K. Nakanishi, Y. Yokouchi

Elsevier Science S.A.

The optimisation of drills for the machining of austenitic steel 117
J. Kosmol, M. Czech, K. Klarecki, J. Śliwka

Finite-element investigation of the wear and elastic deformation of dies in metal forming 123
G.-A. Lee, Y.-T. Im

Influence of processing parameters on the near-net shape synthesis of aluminium-based metal matrix composites. 128
L.M. Tham, M. Gupta, L. Cheng

Finite-element analysis of the formability of a magnesium-based alloy AZ31 sheet 135
H. Takuda, T. Yoshii, N. Hatta

Reaction synthesis of Fe–(W, Ti)C composites 141
A. Saidi

A knowledge-based expert system for roll pass and profile design for shape rolling of round and square bars 145
S.-H. Kim, Y.-T. Im

Manufacture of Al–Ti–B master alloys by the reaction of complex halide salts with molten aluminium 152
B.S. Murty, S.A. Kori, K. Venkateswarlu, R.R. Bhat, M. Chakraborty

Conjugate solidification inside a thick mold 159
F.L. Tan, K.C. Leong

Injection molding of Fe–Ni–P composite powders prepared by electroless nickel plating and the magnetic properties of the sintered alloys 165
T.-Y. Chan, S.-T. Lin

Sheet steel lamination for rapid manufacturing 171
T. Obikawa, M. Yoshino, J. Shinozuka

Cavity filling analyses of injection molding simulation: bubble and weld line formation 177
D.H. Chun

Formation of a new EDM electrode material using sintering techniques 182
H.M. Zaw, J.Y.H. Fuh, A.Y.C. Nee, L. Lu

In-situ production of Al/SiCp composite by laser deposition technology 187
O. Gingu, M. Mangra, R.L. Orban

An adaptive slicing and selective hatching strategy for layered manufacturing 191
W. Ma, P. He

Parametric studies on pulsed Nd:YAG laser cutting of carbon fibre reinforced plastic composites. 198
J. Mathew, G.L. Goswami, N. Ramakrishnan, N.K. Naik

Effects of energy density on morphology and properties of selective laser sintered polycarbonate 204
H.C.H. Ho, I. Gibson, W.L. Cheung

Processing and characterising photo-sensitive polymer in the rapid prototyping process. 211
J.Y.H. Fuh, L. Lu, C.C. Tan, Z.X. Shen, S. Chew

Computer-aided process design for the tension levelling of metallic strips. 218
F. Yoshida, M. Urabe

A hybrid machining simulator based on predictive machining theory and neutral network modelling. 224
X.P. Li, K. Iynkaran, A.Y.C. Nee

Feasibility studies on the production of electro-discharge machining electrodes with rapid prototyping and the electroforming process 231
P.K.D.V. Yarlagadda, P. Christodoulou, V.S. Subramanian

A process-design approach to error compensation in the end milling of pockets 238
K.M.Y. Law, A. Geddam, V.A. Ostafiev

An investigation of indices based on milling force for tool wear in milling 245
W. Yan, Y.S. Wong, K.S. Lee, T. Ning

A sensing system for weld process control 254
H.C. Wikle III, R.H. Zee, B.A. Chin

Prediction of the amount of PCA for mechanical milling 260
Y.F. Zhang, L. Lu, S.M. Yap

Theoretical modelling and simulation of milling forces. 266
X.P. Li, A.Y.C. Nee, Y.S. Wong, H.Q. Zheng

On the separation criteria in the simulation of orthogonal metal cutting using the finite element method 273
L. Zhang

A predictive mapping system for tool wear in metal cutting 279
X.P. Li, H.H. Ng, S.C. Lim

In-process tool-failure detection of a coated grooved tool in turning. 287
K.S, Lee, K.H.W. Seah, Y.S. Wong, L.K.S. Lim

Machinability study of carbon fiber reinforced composite 292
M. Rahman, S. Ramakrishna, J.R.S. Prakash, D.C.G. Tan

Elementary mathematical theory of thermal stresses and fracture during welding and cutting 298
G. Lu, A. Kotousov, E. Siores

The effects of torsional vibration on chatter in grinding. 303
M.A. Mannan, W.T. Fan, B. J. Stone

Generalized fuzzy model for metal cutting data selection 310
S.V. Wong, A.M.S. Hamouda, M.A. El Baradie

Materials induced vibration in ultra-precision machining 318
W.B. Lee, C.F. Cheung, S. To

Vacuum-free diffusion bonding of aluminium metal matrix composite. 326
C.S. Lee, H. Li, R.S. Chandel

An elasto-plastic finite-element analysis of the metal sheet redrawing process. 331
Y.-M. Huang, C.-L. Li

Calculation of the residual stress of a 45 steel cylinder with non-linear surface heat-transfer coefficient including phase transformation during quenching. 339
C. Heming, H. Xieqing, W. Honggang

Stimulation model for the vacuum-free diffusion bonding of aluminium metal-matrix composite 344
C.S. Lee, H. Li, R.S. Chandel

Rotating blades melt quenching: a kinetic analysis 350
N. Shen, L. Chen, D. Zhang, X. Yuan, Y. Tang

A comparative study of the fluidized-bed coating of cylindrical metal surfaces with various thermoplastic polymer powders 354
K.C. Leong, G.Q. Lu, V. Rudolph

In situ composite formation in Ti–Al–Si ternary system 361
K.P. Rao, Y.J. Du, J.C.Y. Chung, K.C. Lau

Effect of milling temperature and additive elements on an Fe–C system alloy prepared by mechanical alloying 367
N.T. Rochman, K. Kawamoto, H. Sueyoshi, Y. Nakamura, T. Nishida

The production and characterization of hydroxyapatite (HA) powders 373
S.W.K. Kweh, K.A. Khor, P. Cheang

Amorphous forming ability in the ternary Cu-Sn-P system by mechanical alloying 378
Z. Bangwei, X. Haowen, L. Shuzhi

Scanning electron microscopic study and mechanical property examination of a bond bridge: development of a porous metal bonded diamond wheel 385
S.H. Truong, Y. Isono, T. Tanaka

Plasma spray processing Al_2O_3/AIN composite powders. 392
L.H. Cao, K.A. Khor, L. Fu, F. Boey

The study of shock activation and sintering of silicon nitride powder materials 399
F. Lu, Q. Cai, X. Zhou, H. Xue

The structure and infrared spectra of nanostructured $MgO–Al_2O_3$ solid solution powders prepared by the chemical method 405
L. Shuzhi, Z. Bangwei, S. Xiaolin, O. Yifang, X. Haowen, X. Zongyu

TIG pulse welding of 304L austenitic stainless steel in flat, vertical and overhead positions 410
G. Lothongkum, P. Chaumbai, P. Bhandhubanyong

Tetrapod-shaped ZnO whisker and its composites 415
Z. Zhou, W. Peng, S. Ke, H. Deng

Microwave processing and permittivity measurement of thermoplastic composites at elevated temperature. 419
H.S. Ku, J.A.R. Ball, E. Siores, B. Horsfield

Processing and high temperature properties of refractory alloy single crystals 425
J. Liu, B. Chin, R. Zee

Fabrication of D.C.-plated nanocrystalline copper electrodeposits 432
C.H. Seah, S. Mridha, L.H. Chan

Effect of AIN fillers on the properties of a modified bismaleimide resin. 437
F.Y.C. Boey, X.L. Song, C.Y. Yue, Q. Zhao

Electropolishing and electrobrightening of holes using different feeding electrodes 440
H. Hocheng, P.S. Pa

Effect of current waveform on the deposit quality of electroformed nickels. 447
K.C. Chan, W.K. Chan, N.S. Qu

Effect of rapid curing doped epoxy adhesive between two polycarbonate substrates on the bond tensile strength. 451
B. Soesatyo, A. Blicblau, E. Siores

In-situ HIP synthesis of TiB_2/SiC ceramic composites 457
Z. Degui, L. Shikai, Y. Xiandong, Y. Liu, X. Chuanchun, Z. Haoming, Z. Jianyong

Thermal processing of hydroxyapatite reinforced polyetheretherketone composites. 462
M.S.A. Bakar, P. Cheang, K.A. Khor

Designing of the chemical composition of constructional alloy steels. 467
L.A. Dobrzański, W. Sitek

Development of a novel flexible composite material 473
S. Ramakrishna, Z.M. Huang, H.M. Yew

AlON phase formation in a tape-cast Al_2O_3/AlN composite 478
F.Y.C. Boey, X.L. Song, Z.Y. Gu, A. Tok

Studies concerning the optimization of ceramic magnets anisotrope pressing 481
M. Mangra, M. Ivanescu, V. Stoian, O. Gingu

Flip chip interconnect using anisotropic conductive adhesive 484
G. Sarkar, S. Mridha, T.T. Chong, W.Y. Tuck, S.C. Kwan

Hydroxyapatite–zirconia composite coating via the plasma spraying process 491
V.J.P. Lim, K.A. Khor, L. Fu, P. Cheang

Effect of sintering temperature mismatch on the thermal diffusivity of cordierite–AlN composite. 497
J.T. Oh, P. Hing, H.S. Fong

Fracture resistance of short-glass-fiber-reinforced and short-carbon-fiber-reinforced polypropylene under Charpy impact load and its dependence on processing 501
S.Y. Fu, B. Lauke, E. Mäder, X. Hu, C.Y. Yue

Tape casting of high dielectric ceramic composite substrates for microelectronics application 508
A.I.Y. Tok, F.Y.C. Boey, K.A. Khor

In situ processing of Al–TiB_2 composite by the stir-casting technique. 513
K.L. Tee, L. Lu, M.O. Lai

The structure and properties of heat-treated and coated W-Mo-V + Si + Nb high-speed steels. 520
L.A. Dobrzański, M. Adamiak, A. Zarychta

Properties of unbalanced magnetron sputtered TiN/NbN multilayer coatings. 528
X.T. Zeng, S. Mridha, U. Chai

The effect of plasma spraying conditions on the spheroidization of zircon and alumina mixtures 532
Y. Li, K.A. Khor

The relationship between the mechanical properties and microstructures of sintered PZT. 538
H. Huang, P. Hing

Enhancement of the processibility of bismaleimide resins via copolymerisation with allyl organo-boron compounds . . . 544
X. Hu, J. Fan, C. Yoon Yue, G. Liang

Influence of processing parameters in the plasma spraying of bydroxyapatite/Ti-6A1-4V composite coatings 550
C.H. Quek, K.A. Khor, P. Cheang

Nitrogenated carbon layer on magnetic recording disks 556
S. Zhang, M.J. Tan, P. Hing, H. Xie, H.L. Wong, W.L. Ng

Surface roughness prediction of ground components using a fuzzy logic approach. 561
Y.M. Ali, L.C. Zhang

A new method for improving the resistance of high strength steel wires to room temperature creep and low cycle fatigue 569
Z. Zhao, D.O. Northwood, C. Liu, Y. Liu

Development of a semi-quantitative pre-LCA tool 574
S.K. Ong, T.H. Koh, A.Y.C. Nee

A neural network system for the prediction of process parameters in pressure die casting 583
P.K.D.V. Yarlagadda, E. Cheng Wei Chiang

The tribological properties of A1-Cu/SiCp metal-matrix composites fabricated using the rheocasting technique 591
S.C. Lim, M. Gupta, L. Ren, J.K.M. Kwoh

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors.
A leaflet describing our requirements is available from the publisher upon request.

CONTENTS DIRECT

This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentDirect** is via the World Wide Web at: **www.elsevier.nl/locate/ContentsDirect**
If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for. The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier.com or www.elsevier.co.jp